INDEX TO VOLUME 47, 1990

Note: All conferences, notices and other announcements are under one heading: NOTICES

A

AARLI J A *see* TODNEM K *et al*
AATOLA S *see* KOSKIMIES K *et al*
ABELER V *see* BOYSEN M *et al*
ABOLNIK I *see* LOSSOS I S *et al*
Abortion, spontaneous, and microelectronic assembly workers, 400
AHLBORG G *see* EDLING C *et al*
Airway responsiveness, firefighters after smoke exposure, 524
AITKEN R C B and CORNES P: To work or not to work: that is the question, 436
AJWANI M K *see* ANDERSSON N *et al*
ALBIN M, JOHANSSON L, POOLEY F D, JAKOBSSON K, ATTEWELL R and MITHA R: Mineral fibres, fibrosis, and asbestos bodies in lung tissues from deceased asbestos cement workers, 767
ALBIN M, JAKOBSSON K, ATTEWELL R, JOHANSSON L and WELINDER H: Mortality and cancer morbidity in cohorts of asbestos cement workers and referents, 602
ALEXANDERSSON R *see* EDLING C *et al*
Aluminium, neuropsychiatric symptoms among welders exposed to, 704
AMBROSI L *see* SOLEO L *et al*
AMOROS D M *see* PERBELLINI L *et al*
Amosite asbestos distribution in normal human lung periphery, 677
Amphibole asbestos miners, asbestosis and bronchial cancer, relation between: correspondence, 215
Anaesthetic gases, health effects associated with exposure, hospital personnel, Ontario, 490
ANDERSEN A *see* LANGÅRD S *et al*
ANDERSON D, GOYLE S, PHILLIPS B J, TEE A, BEECH L and BUTLER W H: Effects of methyl isocyanate on rat brain cells in culture, 596
ANDERSON D *see* YARDLEY-JONES A *et al*
ANDERSSON H *see* KNUTSON A *et al*
ANDERSSON N, AJWANI M K, MAHASHABDE S, TIWARI M K, MUIR M K, MEHRE V, ASHIRU K and MACKENZIE C D: Delayed eye and other consequences from exposure to methyl isocyanate: 93% follow up of exposed and unexposed cohorts in Bhopal, 553
Antibody response to hepatitis B vaccination, 354
—— —— in health care workers, 199; correspondence, 645
ANTTI-POIKA M, HEIKKILÄ J and SAARINEN L: Cardiac arrhythmias during occupational exposure to fluorinated hydrocarbons, 138
ANZION R B M *see* JONGENEELEN F J *et al*
ARAKI S *see* TANIGAWA T *et al*
ARBLASTER L, RENVOIZE E, HATTON P and SCHWEIGER M: Asbestos: a chronology of its origins and health effects: correspondence, 790
ARMSTRONG B *see* BARIS D and ARMSTRONG B
ARMSTRONG B K *see* DE KLERK N H *et al*
Arrhythmias, cardiac, during occupational exposure to fluorinated hydrocarbons, 138
—— ——refrigerator repairmen exposed to fluorocarbons, 207
Arsenic, inorganic, occupational exposure, urinary concentrations and speciation of arsenic, 342
Asbestos, chronology of its origins and health effects, 361; correspondence, 790: 845
——exposure and alterations in laryngeal mucosa: correspondence, 844
—— ——bodies in bronchoalveolar lavage fluids, brake lining and asbestos cement workers, 91
—— ——cement workers, produced at home resulting in malignant mesothelioma in 3 family members, 10
—— —— ——asbestos bodies in bronchoalveolar lavage fluids, 91
—— —— ——deceased, mineral fibres, fibrosis, and asbestos bodies in lung tissue from, 767
—— —— ——and referents cohorts, mortality and cancer morbidity, 602
—— ——causing abnormal pulmonary function associated with diaphragmatic pleural plaques, 611
—— ——individual, smoking and mortality, 615
—— ——induced pleural fibrosis, chronic pleuritic pain, 147
—— ——and laryngeal cancer: editorial, 289
—— ——related health hazards, power plant workers, 281
Asbestosis and bronchial cancer, amphibole asbestos miners, relation between; correspondence, 215
Asbestotic radiological abnormalities, merchant marine seamen, United States, 292; correspondence, 844
ASHIRU K *see* ANDERSSON N *et al*
ASSOGNE C B J: Studies of the carcinogenesis and tumourigenesis of skin applications of dodecylbenzene on hairless mice: correspondence, 356
Asthmagnetic properties of sodium iso-nonanoyl oxybenzene sulphonate, 405
Atomic energy, health related selection and death rates, UKAEA workforce, 248; correction, 576
ATTEWELL R *see* ALBIN M *et al*
SVENSSON B G *et al*
AUQUIER A *see* PIETRI F *et al*
Autonomic nervous function in vibration syndrome, 263
AUTRUP H *see* SHERSON D *et al*
AW T C *see* HARRINGTON J M *et al*
AZOULAY S *see* ESTRYN-BEHAR M *et al*

B

BACHMANN D M *see* MYERS J E and BACHMANN D M
Bacterial endotoxin, toxic risks from inhalation, 688
BARATZ M *see* LERMAN Y *et al*
BARCLAY M T *see* TSAI S P *et al*
BARIS D and ARMSTRONG B: Suicide among electric utility workers in England and Wales: correspondence, 788
BARKER D J P *see* COGGON D *et al*
BARNHART S *see* ROSENSTOCK L *et al*
BARRAT G *see* CHOUDAT D *et al*
BARREGÅRD L, SÄLLSTEN G and JÄRVHOLM B: Mortality and cancer incidence in chloralkali workers exposed to inorganic mercury, 99
——*see also* Edling C *et al*
—— ——ERFURTH E M *et al*
BARRETT P J: Asbestos related abnormalities among United States merchant marine seamen: correspondence, 844
BECKLAKE M R: Epidemiology of spirometric test failure: editorial, 73
BEECH L *see* ANDERSON D *et al*

BEHAR M ESTRYN- *see* ESTRYN-BEHAR M
BELL A: Toxicity of lead at low dose: correspondence, 288
Benzene, low level exposure, and chromosome aberrations, 48
——occupational exposure, and leukaemia risk assessment: correspondence, 717
Benzidine, or its derived dyes and bladder cancer, studies on relation between, Shanghai, 544
—— —— exposure, and natural killer cell activity, 338
Beral V *see* CARPENTER L *et al*
VÅGERÖ D *et al*
BERGLUND U *see* KNUTSON A *et al*
BERNARD A M, ROELS H, CARDENAS A and LAUWERYS R: Assessment of urinary protein 1 and transferrin as early markers of cadmium nephrotoxicity, 559
——*see also* Roels H A *et al*
Beta-N-glucuronide of 4,4'-methylenebis (2-chloroaniline) (MbOCA) as major urinary metabolite in man, 154
Beta-naphthylamine exposure, and natural killer cell activity, 338
BETHWAITE PB, PEARCE N and FRASER J: Cancer risks in painters: study based on the New Zealand Cancer Registry, 742
BEZUIDENHOUT BN *see* SLUIS-CREMER G K and BEZUIDENHOUT B N
BHAN V K *see* RAINA V *et al*
BHAT N A *see* RAINA V *et al*
Bhopal, delayed eye and other consequences after exposure to methyl isocyanate, 553
BIGNON J *see* PAIRON J C *et al*
Bile acids, hydrocarbon exposure, and pancreatitis, 833
Bladder cancer and benzidine or its derived dyes, studies on relation between, Shanghai, 544
BLAINEY A D, MUSK A W, RYAN G, PHILLIPS M J, BUCCILLI C C, TROON S and KIDD G: The effects of nedocromil sodium on the response to grain dust in West Australian grain workers, 692
BLAIR A, STEWART P A, TOLBERT P E, GRAUMAN D, MORAN F X, VAUGHT J and RAYNER J: Cancer and other causes of death among a cohort of dry cleaners, 162
——*see also* CHEN S Y *et al*
Blood pressure, blood lead concentration, and renal function, civil servants, London, 442; correspondence, 790
BLOT W J *see* WALKER H S R *et al*
Boatmen, mortality, circulatory diseases, Sweden 1951–84, 122
Body habitus, and inhaled particle deposition, 38
BOILLAT M-A *see* HOTZ P *et al*
BOLT H M and GOLKA K: Maternal exposure to ethylene glycol monomethyl ether acetate and hypospadia in offspring: a case report, 352
BONDE J P: Semen quality and sex hormones among mild steel and stainless steel welders: a cross sectional study, 508
——Semen quality in welders before and after three weeks of non-exposure, 514
BONNET N *see* ESTRYN-BEHAR M *et al*
BOOBIS A R *see* COCKER J *et al*
BOOK REVIEW: QI-GUOXING, Professor: Radiographic atlas of pneumoconiosis, 497
BOOTH M *see* CARPENTER L *et al*
BOS R P *see* JONGENEELEN F J *et al*
BOURGEOIS R *see* HOTZ P *et al*
BOWLER R *see* HUEL G *et al*
BOYSEN M, ZADIG E, DIGERNES V, ABELER V and REITH A: Nasal mucosa in workers exposed to formaldehyde: a pilot study, 116
Brain cancer mortality, electrical workers, 633
Brake lining workers, asbestos bodies in bronchoalveolar lavage fluids, 91
BRAMMER A *see* CHERNIACK M G *et al*
BREUER R *see* LOSSOS I S *et al*
BROCHARD P *see* PAIRON J C *et al*
Bromine, pneumomediastinum as exposure complication, 784
Bronchial cancer, and asbestosis, amphibole asbestos miners, relation between: correspondence, 215
Bronchoalveolar lavage fluids, asbestos bodies, brake lining and asbestos cement workers, 91
BROWN D M *see* DONALDSON K *et al*
BROWN G M *see* DONALDSON K *et al*
BRUGNONE F *see* PERBELLINI L *et al*
BRUNEKREEF B: Risk assessment of leukaemia and occupational exposure to benzene: correspondence, 717
BUCCILLI C *see* BLAINEY A D *et al*
BUCHET J P *see* ROELS H A *et al*
BULPITT C J *see* STAESSEN J *et al*
BURRELL R and YE S-H: Toxic risks from inhalation of bacterial endotoxin, 688
BUTLER W H *see* ANDERSON D *et al*

C

Cadmium exposure, urinary kallikrein activity, 331
——nephrotoxicity, urinary protein 1 and transferrin as early markers, 559
——poisoning, acute, in foreman plater welder, 429
Cancer incidence in chloralkali workers exposed to inorganic mercury, 99
—— ——ferrochromium and ferrosilicon workers, 14
—— ——and mortality, gas workers, Sweden, 169
——manmade mineral fibres, role in causation: editorial, 145; correspondence, 646
——mortality and morbidity, asbestos cement workers and referents cohorts, 602
—— ——and crocidolite exosure: correspondence, 286
—— ——rubber workers, northern Italian cohort: correspondence, 71
—— ——update, chrysotile asbestos miners, Balangero, northern Italy, 810
——and other causes of death, cohort of dry cleaners, 162
——risk among glass factory workers, excess of lung cancer, 815
——upper respiratory tract, and upper digestive tract, occupational risk factors, 380
Carbon disulphide, long term low level exposure, and special nerve functions and colour discrimination, 589
CARDENAS A *see* BERNARD A M *et al*
Cardiovascular mortality, pulp mill workers, 259
Carpal tunnel syndrome in vibration disease, 411
CARPENTER L, BERAL V, FRASER P and BOOTH M: Health related selection and death rates in the United Kingdom Atomic Energy Authority workforce, 248; correction, 576
CASTELLAN R M *see* COLLET J *et al*
Central nervous system defects in offspring, and occupational exposure: review, 580
Ceramics industries and stomach cancer, 298
Cervical spondylotic radiculopathy precipitated by decompression sickness, 785
CHAMBERLAIN M J *see* GRAHAM D R *et al*
CHAN T B *see* CHIA K S *et al*
CHANG C M *see* YU Y L *et al*
CHANG Y C: Patients with n-hexane induced polyneuropathy: a clinical follow up, 485
CHAPMAN L J, SAUTER S L, HENNING R A, DODSON V N, REDDAN W G and MATTHEWS C G: Differences in frequency of finger tremor in otherwise asymptomatic mercury workers, 838
CHAPMAN S *see* COCKCROFT A *et al*
CHEN S Y, HAYES R B, LIANG S R, LI Q G, STEWART P A and

BLAIR A: Mortality experience of haematite mine workers in China, 175
CHERNIACK M G, LETZ R, GERR F, BRAMMER A and PACE P: Detailed clinical assessment of neurological function in symptomatic shipyard workers, 566
CHERRY N and GAUTRIN D: Neurotoxic effects of styrene: further evidence, 29
Chest radiographs, comparison of reading methods for assessing progress of pneumoconiosis over 10 years, Wittenoom crocidolite workers, 127
CHIA K S, JEYARATNAM J, CHAN T B and LIM T K: Airway responsiveness of firefighters after smoke exposure, 524
China, influence of rheumatoid factor in coalminers' pneumoconiosis, 143
——mortality experience, haematite mine workers, 175
CHINN D J, STEVENSON I C and COTES J E: Longitudinal respiratory survey of shipyard workers: effects of trade and atopic status, 83
CHIVERS A *see* STANFORD C F *et al*
Chloralkali workers exposed to inorganic mercury, mortality and cancer incidence, 99
CHOUDAT D, FRISCH C, BARFAT G, EL KHOLTI A and CONSO F: Occupational exposure to amorphous silica dust and pulmonary function, 763
Chromium concentrations in lung tissue, age, sex, and region adjusted, 682
Chromosomal aberrations, analysis, workers exposed to low level benzene, 48
Chronic obstructive lung disease, silica dust and tobacco smoking combined effect on mortality, gold miners, 656
Chrysotile asbestos miners, cancer mortality update, Balangero, northern Italy, 810
——*see also* Asbestos
CHURG A: The distribution of amosite asbestos in the periphery of the normal human lung, 677
Circulatory diseases, mortality, sea pilots and boatmen, Sweden 1951–84, 122
Civil servants, blood lead concentration, renal function, and blood pressure, London, 442; correspondence, 790
CLARKE M *see* PEEL A and CLARKE M
CLAVEL F *see* PIETRI F *et al*
Coalmining, emphysema, and compensation: editorial, 433
——and stomach cancer, 298
——Coalworkers' pneumoconiosis, exercise capacity, analysis using causal modelling, 52; correspondence, 573
—— ——rheumatoid factor influence, Fujian Shaowu colliery, South China, 143
—— ——smoking and mortality, 141
——*x* ray surveillance programme for evaluation of system recording non-pneumoconiotic abnormalities: correspondence, 647
COCKCROFT A, SOPER P, INSALL C, KENNARD Y, CHAPMAN S, GOOCH C and GRIFFITHS P: Antibody response after hepatitis B immunisation in a group of health care workers, 199; correspondence reply, 645
COCKER J, BOOBIS A R, WILSON H K and COMPERTZ D: Evidence that a beta-N-glucuronide of 4,4'-methylenebis (2-chloroaniline) (MbOCA) is a major urinary metabolite in man: implications for biological monitoring, 154
COGGON D, BARKER D J P and COLE R B: Stomach cancer and work in dusty industries, 298
——*see also* COOPER C *et al*
Coincidence and diagnosis, 527
Coke oven workers, determinants of internal dose of polycyclic aromatic hydrocarbons, monitoring, 454
COLE R B *see* COGGON D *et al*
COLLET J, CASTELLAN R M and HODOUS T K: Evaluation of a system recording non-pneumoconiotic abnormalities as part of coal workers' *x* ray surveillance programme: correspondence, 647
Colour discrimination and long term low level exposure to carbon disulphide, 589
Compensation, coalmining, and emphysema: editorial, 433
CONSO F *see* CHOUDAT D *et al*
DESCHAMPS D *et al*
COOKSON W O C M *see* DE KLERK N H *et al*
COOPER C, WICKHAM C and COGGON D: Sedentary work in middle life and fracture of the proximal femur, 69
COOPER J K and JOHNSON T P: Exercise capacity in coal workers' pneumoconiosis:an analysis using causal modelling, 52; correspondence reply, 574
CORDIER S *see* DESCHAMPS D *et al*
—— ——HAGUENOER J M *et al*
CORNES P *see* AITKEN R C B and CORNES P
COTES J E *see* CHINN D J *et al*
Cotton condensed tannin, alkali treatment effect on physiological activity, 698
——mill workers, mortality and disability, 384
Cowles SR *see* TSAI S P *et al*
CRAIGEN A A *see* NUNN A J *et al*
Creatine kinase activity, inhibition by ethylene oxide, 44
CREMER G K SLUIS- *see* SLUIS-CREMER G K
Crocidolite workers, chest radiographs, comparison of reading methods for assessing progress of pneumoconiosis over 10 years, Wittenoom, 127
—— ——exposure, and cancer mortality: correspondence, 286
—— ——pleural lesions, Western Australia, 782
CRYER P C *see* NORRISH A E and CRYER P C
CULLEN R T *see* DONALDSON K *et al*
CURTIS M *see* DAVIES M F P *et al*
CZARNOWSKI W and KRECHNIAK J: Fluoride in the urine, hair, and nails of phosphate fertiliser workers, 349

D

D-glucaric acid, toluene exposure increases urinary excretion, 58
DANILOVS J A *see* KREISS K *et al*
DARBY S C, MUIRHEAD CR, DOLL R, KENDALL G M and THAKRAR B: Mortality among United Kingdom servicemen who served abroad in the 1950s and 1960s, 793
DARBYSHIRE J H *see* NUNN A J *et al*
DAVIES D: Alterations in laryngeal mucosa after exposure to asbestos: correspondence, 844
DAVIES M F P, CURTIS M and HOWAT J M T: Cutaneous haemangioendothelioma: a possible link with chronic exposure to vinyl chloride, 65
DE GROOT G *see* MUELENBELT J *et al*
DE KLERK N H, ARMSTRONG B K, MUSK A W and HOBBS M S T: Cancer mortality and exposure to crocidolite: correspondence reply, 286
——MUSK A W, JAMES A, GLANCY J J and COOKSON W O C M: Comparison of chest radiograph reading methods for assessing progress of pneumoconiosis over 10 years in Wittenoom crocidolite workers, 127
DE VUYST P *see* DUMORTIER P *et al*
DECARLI A *see* PIOLATTO G *et al*
Decompression sickness, cervical spondylotic radiculopathy precipitated by, 785
Delpech, origins of occupational psychiatry, 189
DEMERS P *see* ROSÉNSTOCK L *et al*
Denmark, laryngeal cancer, nationwide longitudinal study based on register linkage data, 473
DENNIS J H *see* STENTON S C *et al*
DER LOOP F VAN *see* VAN DER LOOP F

Deschamps D, Leport M, Laurent A-M, Cordier S, Festy B and Conso F: Toxicity of ethylene oxide on the lens and on leukocytes: an epidemiological study in hospital sterilisation installations, 308
Diaphragmatic pleural plaques associated with abnormal pulmonary function, due to asbestos exposure, 611
Digernes V *see* Boysen M *et al*
Digestive tract, upper, cancers, occupational risk factors, 380
Divers' lung function, small airways disease? 519
Dives, deep saturation, pulmonary mechanical function and diffusion capacity after, 242
Diving, occupational, influence upon nervous system, epidemiological study, 708
Dodecylbenzene, carcinogenesis and tumourigenesis of skin applications, hairless mice: correspondence, 356
Dodson V N *see* Chapman L J *et al*
Doll R *see* Darby S C *et al*
Domelsmith L N *see* Rousselle M A *et al*
Donaldson K, Brown G M, Brown D M, Slight J, Cullen R T, Love R G and Soutar C A: Inflammation in the lungs of rats after deposition of dust collected from the air of wool mills: the role of epithelial injury and complement activation, 231
——*see* Vincent J H and Donaldson K
Douglas D *see* Rossiter C E and Douglas D
Dry cleaners cohort, cancer and other causes of death, 162
Dumortier P, De Vuyst P, Strauss P and Yernault J C: Asbestos bodies in bronchoalveolar lavage fluids of brake lining and asbestos cement workers, 91
Dunnigan J: Comparing biological effects of mineral fibres: correspondence reply, 287
Dust, respirable, and sick building syndrome, primary schools, 733
Dusty industries and stomach cancer, 298

E

EBDCs exposure, 203
Edling C, Ekberg K, Ahlborg G, Alexandersson R, Barregård L, Ekenvall L, Nilsson L and Svensson B G: Long term follow up of workers exposed to solvents, 75
——Ohlson C-G, Ljungkvist G, Oliv Å and Söderholm B: Cardiac arrhythmia in refrigerator repairment exposed to fluorocarbons, 207
——*see also* Norbäck D *et al*
ee H *see* James A L *et al*
Ekberg K *see* Edling C *et al*
Ekenvall L *see* Edling C *et al*
El Kholti A *see* Choudat D *et al*
Electric utility workers, suicide among, England and Wales: correspondence, 788
Electrical cable repair work, acute exposure to sulphur hexafluoride, pulmonary effects, 829
——workers, mortality from brain cancer and leukaemia, 633
Electrician, non-shipyard, and pleural mesothelioma, 68
Elissalde M H *see* Rousselle M A *et al*
Emphysema, coalmining, and compensation: editorial, 433
Encephalopathy, chronic toxic, solvent induced, cerebrospinal fluid proteins and free amino acids, 277
Endotoxin, bacterial, toxic risks from inhalation, 688
Engelsen B A *see* Moen B E *et al*
Engholm G *see* Guenel P *et al*
Englander V *see* Svensson B G *et al*
Engström K *see* Liira J *et al*
Enterline P E: Role of manmade mineral fibres in the causation of cancer: editorial, 145; correspondence reply, 646
——Henderson V and Marsh G:Mortality of workers potentially exposed to epichlorohydrin, 269; correspondence reply, 789
Epichlorohydrin, workers with potential exposure, morbidity prevalence study, 392
——workers potentially exposed to, mortality, 269; correspondence, 789
Epithelial injury and complement activation, association with lung inflammation, wool mills, 231
Erfurth EM, Schütz A, Nilsson A, Barregård L and Skerfving S: Normal pituitary hormone response to thyrotrophin and gonadotrophin releasing hormones in subjects exposed to elemental mercury vapour, 639
Ericsson J L E *see* Malker H S R *et al*
Estryn-Behar M, Kaminiski M, Peigne E, Bonnet N, Vaichere E, Gozlan C, Azoulay S and Giorgi M: Stress at work and mental health status among female hospital workers, 20
Ethanol effects of kinetics of methyl ethyl ketone, man, 325
Ethylene glycol monomethyl ether acetate, maternal exposure, and hypospadia in offspring, case report, 352
——oxide, and creatine kinase activity inhibition, 44
—— ——production, mortality study, 221
—— ——toxicity on lens and leukocytes, sterilisation installations, 308
—— ——workers exposed to, multicentre mortality study, 182
——bisdithiocarbamate fungicides and ethylenethiourea, environmental and biological monitoring of exposure to, 203
——thiourea and ethylenebisdithiocarbamate fungicide, environmental and biological monitoring of exposure to, 203
Evans J *see* Stanford C F *et al*
Exercise capacity, coal workers' pneumoconiosis, analysis using causal modelling, 52; correspondence, 573
Eye and other consequences, delayed, after the exposure to methyl isocyanate, 93% follow up of exposed and unexposed cohorts, Bhopal, 553

F

Färkkilä M *see* Koskimes K *et al*
Farmer J G and Johnson L R: Assessment of occupational exposure to inorganic arsenic based on urinary concentrations and speciation of arsenic 342
Farmer's lung, Northern Ireland, 314
Female hospital workers, stress at work and mental health status, 20
Ferroalloys workers, mortality, France, 537
Ferrochromium and ferrosilicon workers, cancer incidence, 14
——workers, cancer incidence, 14
Fertiliser manufacturers, mortality study, Iceland, 721
——phosphate, workers, fluoride in urine, hair, and nails, 349
Festy B *see* Deschamps D *et al*
Fibres, mineral fibrosis, and asbestos bodies in lung tissue from decreased asbestos cement workers, 767
Finger tremor in otherwise asymptomatic mercury workers, differences in frequency, 838
Finkelstein A *see* Lerman Y *et al*
Firefighters after smoke exposure, airway responsiveness, 524
——mortality, cohort study, 805
——respiratory mortality, 462
Fischbein A: Cancer mortality in a northern Italian cohort of rubber workers: correspondence, 71
——*see also* Luo J-C J *et al*
Fisherman, commercial, work related injury, New Zealand, 726
——mortality, unusual age distribution, 528
Fishing, commercial, deaths risk, Canadian Atlantic provinces, 498

FLAK A, GULLSTRAND E, LÖF A and WIGAEUS-HJELM E: Liquid/air partition coefficients of four terpenes, 62
FLAMANT R *see* PIETRI F *et al*
FLEMING L E *see* SHALAT S L *et al*
FLETCHER A E *see* STAESSEN J *et al*
Fluoride in urine, and nails, phosphate fertiliser workers, 349
Fluorinated hydrocarbons, cardiac arrhythmias during occupational exposure, 138
Fluorocarbons, cardiac arrhythmia in refrigerator repairmen exposed to, 207
FOO S C, JEYARATNAM J and KOH D: Chronic neurobehavioural effects of toluene, 480
Formaldehyde exposure, nasal mucosa, pilot study, 116
—— ——women histology technicians: correspondence, 358
——lung function, men occupationally exposed to, six year follow up, 747
Foundry workers exposed to polycyclic aromatic hydrocarbons, biological monitoring, 448
FRASER J *see* BETHWAITE P B *et al*
FRASER P *see* CARPENTER L *et al*
FRAUMENI J F *see* MALKER H S R *et al*
FRIBERG L *see* NYLANDER M *et al*
FRISCH C *see* CHOUDAT D *et al*

G

GABREËLS F *see* ROELEVELD N *et al*
GALE N *see* KAMBIČ V *et al*
GANG C JI- *see* JI-GANG C
Gas workers, mortality and cancer incidence, Sweden, 169
GAUTRIN D *see* CHERRY N and GAUTRIN D
GERR F *see* CHERNIACK M G *et al*
GIBBS AR, GRIFFITHS DM, POOLEY F D and JONES J S P: Comparison of fibre types and size distributions in lung tissues of paraoccupational and occupational cases of malignant mesothelioma, 621
GIORGI M *see* ESTRYN-BEHAR M *et al*
GIULIARI C *see* PERBELLINI L *et al*
GLANCY J J *see* DE KLERK N H *et al*
Glass factory workers, cancer risk, excess of lung cancer, 815
——filament (textile) workers, mortality, 533
Glomerulonephritis, renal carcinoma, and solvent exposure, bias from choice of referents: correspondence, 791
Gold miners, silica dust and tobacco smoking, combined effect on mortality from chronic obstructive lung disease, 656
GOLDMAN K P *see* YATES D H and GOLDMAN K P
GOLKA K *see* BOLT H M and GOLKA K
GOMPERTZ D *see* COCKER J *et al*
GOOCH C *see* COCKCROFT A *et al*
GOYLE S *see* ANDERSON D *et al*
GOZLAN C *see* ESTRYN-BEHAR M *et al*
GRAHAM D R, CHAMBERLAIN M J, HUTTON L, KING M and MORGAN W K C: Inhaled particle deposition and body habitus, 38
Grain dust exposure and changes in lung function, 466
—— ——nedocromil sodium effects on response, West Australian grain workers, 692
GRAUMAN D *see* BLAIR A *et al*
Gray C N *see* HARRINGTON J M *et al*
GREENBERG H L, OTT M G and SHORE R E: Men assigned to ethylene oxide production or other ethylene oxide related chemical manufacturing: a mortality study, 221
GRIFFITHS D M *see* GIBBS A R *et al*
GRIFFITHS P *see* COCKCROFT A *et al*
GROOT G DE *see* DE GROOT G
GUENEL P, ENGHOLM G and LYNGE E: Laryngeal cancer in Denmark: a nationwide longitudinal study based on register linkage data, 473
GUIRGUIS S S, PELMEAR P L, ROY M L and WONG L: Health effects associated with exposure to anaesthetic gases in Ontario hospital personnel, 490
GULLSTRAND E *see* FALK A *et al*
GULSVIK A *see* THORSEN E *et al*
GUNNARSDÓTTIR H *see* RAFNSSON V and GUNNARSDÓTTIR H
GUSTAVSSON P and REUTERWALL C: Mortality and incidence of cancer among Swedish gas workers, 169
——*see* SJÖGREN B *et al*

H

HAAHTELA T *see* JÄPPINEN P *et al*
Haemangioendothelioma, cutaneous, possible link with chronic exposure to vinyl chloride, 65
Haematite mine workers, mortality experience, China, 175
HAGUENOER J M, CORDIER S, MOREL C, LEFEVRE J L and HEMON D: Occupational risk factors for upper respiratory tract and upper digestive tract cancers, 380
HAKAMA M *see* SANKILA R *et al*
HAKULINEN T *see* SANKILA R *et al*
HALL G *see* STANFORD C F *et al*
HAMM R D: Occupational cancer in the oncogene era: editorial, 217
Hand-arm vibration syndrome, update: editorial, 577
Handicraft centres, different, Srinagar City, nutritional status of school age girls working in, 502
HANSEN ES: A cohort study on the mortality of firefighters, 805
HARADA N, KONDO H and KIMURA K: Assessment of autonomic nervous function in patients with vibration syndrome using heart rate variation and plasma cyclic nucleotides, 263
HARRINGTON J M, WHITBY H, GRAY C N, REID F J, AW T C and WATERHOUSE J A: Glomerulonephritis, renal carcinoma, and solvent exposure: bias from choice of referents, correspondence reply, 792
HASSELBACK P and NEUTEL C I: Risk for commercial fishing deaths in Canadian Atlantic provinces, 498
HATTON P *see* ARBLASTER L *et al*
HAYES R B *see* CHEN S Y *et al*
Health care workers, antibody response after hepatitis B immunisation, 199: correspondence, 645
HEDMAN B KOLMODIN- *see* KOLMODIN-HEDMAN B
HEIKKILÄ J *see* ANTTI-POIKA M *et al*
HEMON D *see* HAGUENOER J M *et al*
Hemp workers, respiratory symptoms and lung function, 627
HENDERSON V *see* ENTERLINE P E *et al*
HENDRICK D J *see* STENTON S C *et al*
HENNING R A *see* CHAPMAN L J *et al*
Hepatitis B immunisation, antibody response after, health care workers, 199: correspondence, 645
Hepatitis B vaccination, antibody response, 354
HESSEL P A, SLUIS-CREMER G K and HNIZDO E: Silica exposure, silicosis, and lung cancer: a necropsy study, 4
2,5-Hexanedione in urine, improved method of analysing, 421
HEYER N J *see* ROSÉNSTOCK L *et al*
HILLDERDAL G and MUSK A W: Pleural lesions in crocidolite workers from Western Australia, 782
Hip fractures, in elderly and sedentary work in middle life, 69
Histocompatibility antigens in population based silicosis series: correspondence, 432
HJELM E WIGAEUS- *see* WIGAEUS-HJELM E
HNIZDO E: Combined effect of silica dust and tobacco smoking on mortality from chronic obstructive lung disease in gold miners, 656

——*see also* HESSEL P A *et al*
HO K M *see* YU Y L *et al*
HOBBS M S T *see* DE KLERK N H *et al*
HODGSON J T and JONES R D: Mortality of a cohort of tin miners 1941–86, 665
HODOUS T K *see* COLLET J *et al*
HOGSTEDT C *see* SJÖGREN B *et al*
HORI H *see* MATSUOKA M *et al*
Hospital personnel, health effects associated with exposure to anaesthetic gases, Ontario, 490
HOTZ P, PILLIOD J, BOURGEOIS R and BOILLAT M-A: Hydrocarbon exposure, pancreatitis, and bile acids, 833
HOUTE G VAN *see* VAN HOUTE G
HOWAT J M T *see* DAVIES M F P *et al*
HUEL G, MERGLER D and BOWLER R: Evidence for adverse reproductive outcomes among women microelectronic assembly workers, 400
HUNCHAREK M: Asbestos: A chronology of its origins and health effects: correspondence, 845
——and MUSCAT J: Pleural mesothelioma in a non-shipyard electrician, 68
HUTTON L *see* GRAHAM D R *et al*
Hydrocarbon exposure, pancreatitis, and bile acids, 833
Hydrogen sulphide exposure, and respiratory function, 824
—— ——poisoning, blood sulphide concentration and changes in haem metabolism, 283
Hypospadia in offspring, maternal exposure to ethylene glycol monomethyl ether acetate, case report, 352

I

Iceland, mortality study, fertiliser manufacturers, 721
IGISU H *see* MATSUOKA M *et al*
INABA R *see* KOSKIMIES K *et al*
Industrial Health Education Society 1922–1940, 366
Inhaled particle deposition and body habitus, 38
INOUE N *see* MATSUOKA M *et al*
INSALL C *see* COCKCROFT A *et al*
Iron and steel industries and stomach cancer, 298
Ischaemic heart disease in sea pilots and boatmen, Sweden 1951–84, 122
ISHIZU S *see* TANIGAWA T *et al*
IVERSEN OH: Studies of the carcinogenesis and tumourigenesis of skin applications of dodecylbenzene on hairless mice: correspondence reply, 356

J

JAKOBSSON K *see* ALBIN M *et al*
JAMES A *see* DE KLERK N H *et al*
JAMES A L, ZIMMERMAN M J, EE H, RYAN G and MUSK A W: Exposure to grain dust and changes in lung function, 466
JAMIESON E *see* SHANNON H S *et al*
JANSON X *see* PAIRON J C *et al*
JÄNTTI V *see* KOSKIMIES K *et al*
JÄPPINEN P and TENHUNEN R: Hydrogen sulphide poisoning: blood sulphide concentration and changes in haem metabolism, 283
——and TOLA S: Cardiovascular mortality among pulp mill workers, 259
——VILKKA V, MARTTILA O and HAAHTELA T: Exposure to hydrogen sulphide and respiratory function, 824
JÄRVHOLM B *see* BARREGÅRD L *et al*
JÄRVINEN E *see* KOSKELA R-S *et al*
JAURAND M C *see* PAIRON J C *et al*
JEANSON S *see* YASSI A *et al*
JENKINSON P C *see* YARDLEY-JONES A *et al*
JEYARATNAM J *see* CHIA K S *et al*
FOO S C *et al*
JI-GANG C *see* XUE-YUN Y *et al*
JOHANSEN F *see* SHERSON D *et al*
JOHANSSON L *see* ALBIN M *et al*
JOHNSON L R *see* FARMER J G and JOHNSON L R
JOHNSON T P *see* COOPER J K and JOHNSON T P
JONES A YARDLEY- *see* YARDLEY-JONES A
JONES J S P *see* GIBBS A R *et al*
JONES R D *see* HODGSON J T and JONES R D
JONGENEELEN F J, VAN LEEUWEN F E, OOSTERINK S, ANZION R B M, VAN DER LOOP F, BOS R P and VAN VEEN H G: Ambient and biological monitoring of cokeoven workers: determinants of the internal dose of polycyclic aromatic hydrocarbons, 454
JÖNSSON E *see* NYSTRÖM L *et al*
JULIAN J A *see* SHANNON H S *et al*

K

Kallikrein, urinary, activity, cadmium, lead, or mercury vapour exposure, 331
KAMBESTAD B *see* THORSEN E *et al*
KAMBESTAD B K *see* TODNEM K *et al*
KAMBIČ V, RADŠEL Z and GALE N: Alterations in laryngeal mucosa after exposure to asbestos: correspondence reply, 844
KAMINSKI M *see* ESTRYN-BEHAR M *et al*
KANCELJAK B *see* ZUSKIN E *et al*
KARJALAINEN S *see* SANKILA R *et al*
KATSNELSON B A and POLZIK E V: Histocompatibility antigens in a population based silicosis series: correspondence, 432
KENDALL G M *see* DARBY S C *et al*
KENNARD Y *see* COCKCROFT A *et al*
KHEUANG L *see* PAIRON J C *et al*
KHOLTI A EL *see* EL KHOLTI A
KIDD G *see* BLAINEY A D *et al*
Kidney cancer in polychlorinated biphenyls exposure: correspondence, 358
KIESSELBACH N, ULM K, LANGE H-J and KORALLUS U: A multicentre mortality study of workers exposed to ethylene oxide, 182
KILBURN K H and WARSHAW R H: Abnormal pulmonary function associated with diaphragmatic pleural plaques due to exposure to asbestos, 611
—— ——and THORNTON J C: Pulmonary function in histology technicians compared with women from Michigan: effects of chronic low dose formaldehyde exposure on a national sample of women: correspondence reply, 359
KIMURA K *see* HARADAN *et al*
KING M *see* GRAHAM D R *et al*
KJAERULFF J *see* OTTE K E *et al*
KLERK N H DE *see* DE KLERK N H
KLOCKARS M *see* KOSKELA R-S *et al*
KNUTSON A, ANDERSSON H and BERGLUND U: Serum lipoproteins in day and shift workers: a prospective study, 132
KOH D *see* FOO S C *et al*
KOLLMEIER H, SEEMANN J W, ROTHE G, MÜLLER K-M and WITTIG P: Age, sex, and region adjusted concentrations of chromium and nickel in lung tissue, 682
KOLMODIN-HEDMAN B *see* NYSTRÖM L *et al*
KONDO H *see* HARADA N *et al*
KORALLUS U *see* KIESSELBACH N *et al*
KOSKELA R-S, KLOCKARS M and JÄRVINEN E: Mortality and disability among cotton mill workers, 384
KOSKIMIES K, FÄRKKILÄ M, PYYKKÖ I, JÄNTTI V, AATOLA S, STARCK J and INABA R: Carpal tunnel syndrome in vibration disease, 411
KRAUT A and LILIS R: Pulmonary effects of acute exposure to

degradation products of sulphur hexafluoride during electrical cable repair work, 829
KRECHNIAK J *see* CZARNOWSKI W and KRECHNIAK J
KREISS K, DANILOVS J A and NEWMAN L S: Histocompatibility antigens in a population based silicosis series: correspondence reply, 432
KUNDI M *see* NEUBERGER M and KUNDI M
KURTTIO P, VARTIAINEN T and SAVOLAINEN K: Environmental and biological monitoring of exposure to ethylenebisdithiocarbamate fungicides and ethylenethiourea, 203
KYVIK K R *see* MOEN B E *et al*

L

LA VECCHIA C *see* PIOLATTO G *et al*
LAI Y-R *see* YEH Y-B and LAI Y-R
LAM T H *see* YU Y L *et al*
LANGÅRD S, ANDERSEN A and RAVNESTAD J: Incidence of cancer among ferrochromium and ferrosilicon workers: an extended observation period, 14
LANGE H-J *see* KIESSELBACH N *et al*
Laryngeal asbestosis, terminology: correspondence, 844
——cancer and asbestos: editorial, 289
—— ——Denmark, nationwide longitudinal study based on register linkage data, 473
LAURENT A-M *see* DESCHAMPS D *et al*
LAUWERYS R *see* BERNARD A M *et al*
LAUWERYS R R *see* ROELS H A *et al*
Lead, blood, concentration, renal function, and blood pressure, civil servants, London, 442; correspondence, 790
——exposure, urinary kallikrein activity, 331
——toxicity at low dose: correspondence, 288
LEES R E M: Kidney cancer in utility workers exposed to polychlorinated biphenyls (PCBs): correspondence, 358
LEEUWEN F E VAN *see* VAN LEEUWEN F E
LEFEBVRE J L *see* HAGUENOER J M *et al*
Lens, toxicity of ethylene oxide, sterilisation installations, 308
LEPORT M *see* DESCHAMPS D *et al*
LERMAN Y, FINKELSTEIN A, LEVO Y, TUPILSKY M, BARATZ M, SOLOMON A, and SACKSTEIN G: Asbestos related health hazards among power plant workers, 281
LETZ R *see* CHERNIACK M G *et al*
Leukaemia mortality, electrical workers, 633
——risk assessment, and occupational exposure to benzene: correspondence, 717
Leukocytes, toxicity of ethylene oxide, sterilisation installations, 308
LEVIN G *see* SELIKOFF I J *et al*
LEVO Y *see* LERMAN Y *et al*
LI Q G *see* CHEN S Y *et al*
LIANG S R *see* CHEN S Y *et al*
LIDDELL F D K: Laryngeal cancer and asbestos: editorial, 289
LIIRA J, RIIHIMÄKI V and ENGSTRÖM K: Effects of ethanol on the kinetics of methyl ethyl ketone in man, 325
LIJNEN P *see* ROELS H A *et al*
LILIS R *et al* KRAUT A and LILIS R SELIKOFF I J *et al*
LIM T K *see* CHIA K S *et al*
Linear alkyl benzene sulphonate and sodium iso-nonanoyl oxybenzene sulphonate compared for asthmagenic properties, 405
Lipoproteins, serum, day and shift workers, prospective study, 132
Liquid/air partition coefficients of four terpenes, 62
LJUNGKVIST G *see* EDLING C *et al*
LLORENS A C *see* PERBELLINI L *et al*
LÖF A *see* FALK A *et al*
London School of Hygiene and Tropical Medicine, occupational health, 135
LOOMIS D P and SAVITZ D A: Mortality from brain cancer and leukaemia among electrical workers, 633
LOOP F VAN DER *see* VAN DER LOOP F
LOSSOS I S, ABOLNIK I and BREUER R: Pneumomediastinum: a complication of exposure to bromine, 784
LOTTI M *see* MORETTO A and LOTTI M
LOVE R G *see* DONALDSON K *et al*
LOVELL D P *see* YARDLEY-JONES A *et al*
LUKÁŠ E *see* URBAN P and LUKÁŠ E
Lung cancer, silica exposure, and silicosis, necropsy study, 4
——function changes and exposure to grain dust, 466
—— ——men occupationally exposed to formaldehyde, six year follow up, 747
——periphery, normal, distribution of amosite asbestos, 677
——tissue, concentrations of chromium and nickel, age, sex, and region adjusted, 682
—— ——from deceased asbestos cement workers, mineral fibres, fibrosis, and asbestos bodies, 767
LUNN J A: Spittoons, 416
LUO J-C J, NELSEN K G and FISCHBEIN A: Persistent reactive airway dysfunction syndrome after exposure to toluene diisocyanate, 239
Lymphocytes, human, treated with silica, sister chromatid exchanges, 110
LYNGE E *see* GUENEL P *et al*

M

MCDONALD J C *see* SCHILLING R S F and MCDONALD J C
MCGILL M *see* YASSI A *et al*
MACKENZIE C D *see* ANDERSSON N *et al*
MCLAUGHLIN J K *see* MALKER H S R *et al*
MAHASHABDE S *see* ANDERSSON N *et al*
MALKER H S R, MCLAUGHLIN J K, WEINER J A, SILVERMAN D T, BLOT W J, ERICSSON J L E and FRAUMENI J F: Occupational risk factors for nasopharyngeal cancer in Sweden, 213
Maneb (mancozeb) exposure, 203
Manmade mineral fibres, role in causation of cancer: editorial, 145; correspondence, 646
MANTOUT B *see* MOULIN J J *et al*
MARKOWE H L J *see* STAESSEN J *et al*
MARMOT M G *see* STAESSEN J *et al*
MARSH G *see* ENTERLINE P E *et al*
MARTIN B *see* STANFORD C F *et al*
MARTTILA O *see* JÄPPINEN P *et al*
Maternal exposure to ethylene glycol monomethyl ether acetate and hypospadia in offspring, case report, 352
MATSUOKA M, IGISU H, INOUE N, HORI H and TANAKA T: Inhibition of creatine kinase activity by ethylene oxide, 44
MATTHEWS C G *see* CHAPMAN L J *et al*
MbOCA as major urinary metabolite in man, 154
Mediaeval accident at work, 188
MEHRA V *see* ANDERSSON N *et al*
MEIJERS J M M: Comparing biological effects of mineral fibres: correspondence, 286
——PLANTEYDT H T, SLANGEN J J M, SWAEN G M H, VAN VLIET C and STURMANS F: Trends and geographical patterns of pleural mesotheliomas in the Netherlands 1970–87, 775
——*see also* SWAEN G M H and MEIJERS J M N
Melanoma, malignant, and occupation, cancer registration data, 317
Mental health status, and stress at work, female hospital workers, 20
Mercury concentrations, in brain, muscle biopsy as indicator

for predicting: correspondence, 575
——inorganic, effects of low exposure to psychological performance, 105
—— ——exposure of chloralkali workers, mortality and cancer incidence, 99
——vapour exposure, normal pituitary hormone response to thyrotrophin and gondatrophin releasing hormones, 639
—— —— ——urinary kallikrein activity, 331
——workers, asymptomatic, finger tremor frequency differences, 838
MERGLER D *see* HUEL G *et al*
Mesothelioma, malignant, clustering in family producing asbestos cement in their home, 10
—— ——fibre types and size distribution in lung tissues compared, 621
Mesothelioma, pleural, in non-shipyard electrician, 68
—— —— trends and geographical patterns, Netherlands 1970–87, 775
Methyl ethyl ketone kinetics, ethanol effects, man, 325
——isocyanate, delayed eye and other consequences from exposure, Bhopal, 553
—— ——effects on rat brain cells in culture, 596
MUELENBELT J, DE GROOT G and SAVELKOUL T J F: Two cases of acute toluene intoxication, 417
Microelectronic assembly workers, adverse reproductive outcomes, 400
MILLER A: Chronic pleuritic pain in four patients with asbestos induced pleural fibrosis, 147
MINATO N *see* TANIGAWA T *et al*
Mineral dust, inhaled, accumulation, lung dosimetry, 302
——fibres, biological effects compared: correspondence, 286
MITCHELL J M O *see* WILES P G *et al*
MITHA R *see* ALBIN M *et al*
MOEN B E, KYVIK K R, ENGELSEN B A and RIISE T: Cerebrospinal fluid proteins and free amino acids in patients with solvent induced chronic toxic encephalopathy and healthy controls, 277
MOK K Y *see* YU Y L *et al*
MÖLLER T *see* SVENSSON B G *et al*
MORAN F X *see* BLAIR A *et al*
MOREL C *see* HAGUENOER J M *et al*
MORETTO A and LOTTI M: Exposure to toluene increases the urinary excretion of D-glucaric acid, 58
MORGAN W K C: Exercise capacity in coal workers' pneumoconiosis: an analysis using casual modelling: correspondence, 573
——*see also* GRAHAM D R *et al*
REGER R and MORGAN W K C
MORITA T *see* TANIGAWA T *et al*
Mortality from brain cancer and leukaemia, electrical workers, 633
——and cancer incidence, gas workers, Sweden, 169
——and cancer morbidity, asbestos cement workers and referents cohorts, 602
——cancer, update, chrysotile asbestos miners, Balangero, northern Italy, 810
——in chloralkali workers exposed to inorganic mercury, 99
——of cohort, tin miners 1941–86, 665
——experience, haematite mine workers, China, 175
——in ferroalloys and stainless steel workers, France, 537
——of firefighters, cohort study, 805
——fisherman, unusual age distribution, 528
——glass filament (textile) workers, 533
——multicentre study, workers exposed to ethylene oxide, 182
——and smoking from coalworkers' pneumoconiosis, 141
——study, fertiliser manufacturers, Iceland, 721
——among United Kingdom servicemen who served abroad, 1950s and 1960s, 793
MOULIN J J, PORTEFAIX P, WILD P, MUR J M, SMAGGHE G, and MANTOUT B: Mortality study among workers producing ferroalloys and stainless steel in France, 537
MUIJSER H *see* RUIJTEN M W M M *et al*
MUIR D C F *see* SHANNON H S *et al*
MUIR M K *see* ANDERSSON N *et al*
MUIRHEAD C R *see* DARBY S C *et al*
MÜLLER K-M *see* KOLLMEIER H *et al*
MUR J M *see* MOULIN J J *et al*
MURRAY R: Asbestos: a chronology of its origins and health effects, 361: correspondence reply, 845
MUSCAT J *see* HUNCHAREK M and MUSCAT J
Muscle biopsy as indicator for predicting mercury concentrations in brain: correspondence, 575
Musk A W *see* BLAINEY A D *et al*
DE KLERK N H *et al*
HILLERDAL G *et al*
JAMES A L *et al*
MYERS J E and BACHMANN D M: Exercise capacity in coal workers' pneumoconiosis: an analysis using causal modelling: correspondence, 574
MYRSETH E *see* THORSEN E *et al*

N

N-hexane induced polyneuropathy, clinical follow up, 485
Nasal mucosa in formaldehyde exposure, pilot study, 116
Nasopharyngeal cancer, occupational risk factors, Sweden, 213
Natural killer cell activity, benzidine and beta-naphthylamine exposure, 338
Nedocromil sodium effects on response to grain dust West Australian grain workers, 692
NEGRI E *see* PIOLATTO G *et al*
NELSEN K G *see* LUO J-C J *et al*
Nerve function and long term low level exposure to carbon disulphide, 589
Nervous system, occupational diving influence upon, epidemiological study, 708
Netherlands, pleural mesotheliomas, trends and geographical patterns, 1970–87, 775
NEUBERGER M and KUNDI M: Individual asbestos exposure: smoking and mortality—a cohort study in the asbestos cement industry, 615
Neurobehavioural, effects, chronic, of toluene, 480
Neurological function, asymptomatic shipyard workers, detailed clinical assessment, 566
Neurotoxic metals, neuropsychiatric symptoms among welders exposed to, 704
NEUTEL C I: Mortality in fishermen: an unusual age distribution, 528
——*see also* HASSELBACK P and NEUTEL C I
New Zealand Cancer Registry study, painters, cancer risks, 742
New Zealand commercial fishermen, work related injury, 726
NEWMAN A S *see* KREISS K *et al*
NICHOLLS D P *see* STANFORD C F *et al*
Nickel concentrations in lung tissue, age, sex, and region adjusted, 682
NILSSON A *see* ERFURTH E M *et al*
NILSSON L *see* EDLING C *et al*
NING H YONG- *see* YONG-NING H
NISE G *see* SVENSSON B G *et al*
Non-pneumoconiotic abnormalities, evaluation of system recording, as part of coal workers' *x* ray surveillance programme: correspondence, 647
NORBÄCK D, TORGÉN M and EDLING C: Volatile organic compounds, respirable dust, and personal factors related to prevalence and incidence of sick building syndrome in primary schools, 733

NORRISH A E and CRYER P C: Work related injury in New Zealand commercial fishermen, 726
Notices, 72, 288, 360, 648, 718, 792, 846
NUNN A J, CRAIGEN A A, DARBYSHIRE J H, VENABLES K M and TAYLOR A J N. Six year follow up of lung function in men occupationally exposed to formaldehyde, 747
NYLAND H *see* TODNEM K *et al*
NYLANDER M, FRIBERG L and WEINER J: Muscle biopsy as an indicator for predicting mercury concentrations in the brain: correspondence, 575
NYSTRÖM L, KOLMODIN-HEDMAN B, JÖNSSON E and THOMASSON L: Mortality from circulatory diseases, especially ischaemic heart disease in sea pilots and boatmen in Sweden 1951–84: a retrospective cohort study, 122

O

Occupational cancer in oncogene era: editorial, 217
——exposure and central nervous system defects in offspring: review, 580
——health, London School of Hygiene and Tropical Medicine, 135
—— ——education in United Kingdom workplace, and Industrial Health Education Society 1922–40, 366
——psychiatry origins, and Delpech, 189
O'FLYNN R R and WALDRON H A: Delpech and the origins of occupational psychiatry, 189
OHLSON C-G *see* EDLING C *et al*
OKAZAKI H *see* TANIGAWA T *et al*
OKSANEN H *see* SANKILA R *et al*
OLIV A *see* EDLING C *et al*
Oncogene era, occupational cancer: editorial, 217
OOSTERINK S *see* JONGENEELEN F J *et al*
OTT M G *see* GREENBERG H L *et al*
OTTE K E, SIGSGAARD T I and KJAERULUFF J: Malignant mesothelioma: clustering in a family producing asbestos cement in their home, 10

P

PACE P *see* CHERNIACK M G *et al*
SHALAT S L *et al*
Painters, cancer risks, study based on New Zealand Cancer Registry, 742
PAIRON J C, JAURAND M C, KHEUANG L, JANSON X, BROCHARD P and BIGNON J: Sister chromatid exchanges in human lymphocytes treated with silica, 110
Pancreatic cancer, occupational risk factors, 425
Pancreatitis, bile acids, and hydrocarbon exposure, 833
Particle deposition, inhaled, and body habitus, 38
PÅSCHE A *see* THORSEN E *et al*
PEARCE N *see* BETHWAITE P B *et al*
PEARCE S M *see* WILES P G *et al*
PEEL A and CLARKE M: Pregnant women at work: a study of ethnic minority risk in Leicestershire, 649
PEIGNE E *see* ESTRYN-BEHAR M *et al*
PELMEAR P L *see* GUIRGUIS S S *et al*
TAYLOR W and PELMEAR P L
PERBELLINI L, AMOROS D M, LLORENS A C, GIULIARI C and BRUGNONE F: An improved method of analysing 2,5-hexanedione in urine, 421
Persistent reactive airway dysfunction syndrome after toluene diisocyanate exposure, 239
PETO J *see* PIOLATTO G *et al*
PETRERA V *see* SOLEO L *et al*
PHILLIPS B J *see* ANDERSON D *et al*
PHILLIPS M J *see* BLAINEY A D *et al*
Phosphate fertiliser workers, fluoride in urine, hair, and nails, 349
PIETRI F, CLAVEL F, AUQUIER A and FLAMANT R: Occupational risk factors for cancer of the pancreas: a case-control study, 425
PILLIOD J *see* HOTZ P *et al*
PIOLATTO G, NEGRI E, LA VECCHIA C, PIRA E, DECARLI A, and PETO J: An update of cancer mortality among chrysotile asbestos miners in Balangero, northern Italy, 810
PIRA E *see* PIOLATTO G *et al*
Pituitary hormone, normal, response to thyrotrophin and gonadotrophin releasing hormones in elemental mercury vapour exposure, 639
PLANTEYDT H T *see* MEIJERS J M M *et al*
Plastics and composites industry, styrene exposure, mortality and case-control study, 753
Plater welder, acute cadmium poisoning, 429
Pleuritic pain, chronic, in asbestos induced pleural fibrosis,147
Pneumoconiosis, coalminers', rheumatoid factor influence, Fujian Shaowu colliery, South China, 143
—— ——exercise capacity, analysis using causal modelling, 52; correspondence, 573
—— ——smoking and mortality, 141
Pneumomediastinum, bromine exposure complication, 784
POIKA M ANTTI *see* ANTTI-POIKA M
POKRAJAC D *see* ZUSKIN E *et al*
Polycyclic aromatic hydrocarbons, foundry workers exposed to, biological monitoring, 448
—— —— ——monitoring of internal dose by cokeoven workers, 454
Polyneuropathy, n-hexane induced, clinical follow up, 485
POLZIK E V *see* KATSNELSON B A and POLZIK E V
POOLEY F D *see* ALBIN M *et al*
GIBBS A R *et al*
PORTEFAIX P *see* MOULIN J J *et al*
Power plant workers, asbestos related health hazards, 281
Pregnant women at work, study of ethnic minority risk, Leicestershire, 649
Primary schools, sick building syndrome, factors related to, 733
Protein 1, urinary, assessment as early markers of cadmium nephrotoxicity, 559
Psychological performance, effects of low exposure to inorganic mercury, 105
PUKKALA E *see* SANKILA R *et al*
Pulmonary function, abnormal, associated with diaphragmatic pleural plaques due to asbestos exposure, 611
—— ——and occupational exposure to amorphous silica dust, 763
—— ——mechanical and diffusion capacity after deep saturation dives, 242
—— ——women histology technicians, and formaldehyde exposure: correspondence, 358
Pulp mill workers, cardiovascular mortality, 259
PYYKKÖ I *see* KOSKIMIES K *et al*

R

RADŠEL Z *see* KAMBIČ V *et al*
RAFNSSON V and GUNNARSDÓTTIR H: Mortality study of fertiliser manufacturers in Iceland, 721
RAINA V, BHAN V K and BHAT N A: Nutritional status of school age girls working in different handicraft centres of Srinagar City, 502
RAVNESTAD J *see* LANGÅRD S *et al*
RAVNSKOV U: Glomerulonephritis, renal carcinoma, and solvent exposure: bias from choice of referents: correspondence, 791
RAYNER J *see* BLAIR A *et al*
REDDAN W G *see* CHAPMAN L J *et al*

Refrigerator repairmen exposed to fluorocarbons, cardiac arrhythmia, 207
REGER R and MORGAN W K C: On talc, tremolite, and tergiversation: editorial, 505; correction, 792
Rehabilitation measurement, to work or not to work, 436
REID F J *see* HARRINGTON J M *et al*
REITH A *see* BOYSEN M *et al*
Renal carcinoma, glomerulonephritis, and solvent exposure, bias from choice of referents: correspondence, 791
——function, blood pressure, and blood lead concentration, civil servants, London, 442: correspondence, 790
RENVOIZE E *see* ARBLASTER L *et al*
Respiratory function and hydrogen sulphide exposure, 824
——mortality among firefighters, 462
——survey, longitudinal, shipyard workers, effects of trade and atopic status, 83
——symptoms and wool mill workers, 231
REUTERWALL C *see* GUSTAVSSON P and REUTERWALL C
Rheumatoid factor influence in coalminers' pneumoconiosis, Fujian Shaowu colliery, South China, 143
Rice P J S *see* WILES P G *et al*
RIIHIMÄKI V *see* LIIRA J *et al*
RIISE T *see* MOEN B E *et al*
ROELVELD N, ZIELHUIS G A and GABREËLS F: Occupational exposure and defects of the central nervous system on offspring: review, 580
ROELS H *see* BERNARD A M *et al*
ROELS H A, LAUWERYS R R, BUCHET J P, BERNARD A M, LIJNEN P and VAN HOUTE G: Urinary kallikrein activity in workers exposed to cadmium, lead, or mercury vapour, 331
ROGERS A: Cancer mortality and exposure to crocidolite: correspondence, 286
ROSE G *see* STAESSEN J *et al*
ROSÉNSTOCK L, DEMERS P, HEYER N J and BARNHART S: Respiratory mortality among firefighters, 462
ROSS C E: Mortality among workers potentially exposed to epichlorohydrin: correspondence, 789
——*see also* TSAI S P *et al*
ROSSITER C E and DOUGLAS D: Role of manmade fibres in the causation of cancer: correspondence, 646
ROSSITER E: Pulmonary function in histology technicians compared with women from Michigan: effects of chronic low dose formaldehyde exposure on a national sample of women: correspondence, 358
ROTHE G *see* KOLLMEIER H *et al*
Rotogravure printers exposed to toluene, deaths and tumours, 372
—— ——visual evoked potentials, 819
ROUSSELLE M A, ELISSALDE M H and DOMELSMITH L N: Effect of alkali treatment on physiological activity of cotton condensed tannin, 698
ROY M L *see* GUIRGUIS S S *et al*
ROY T J *see* SADLER R L and ROY T J
Rubber industries and stomach cancer, 298
——workers, cancer mortality, northern Italian cohort: correspondence, 71
RUDD R M: Relation between asbestosis and bronchial cancer in amphibole asbestos miners: correspondence, 215
RUIJTEN M W M M, SALLÉ H J A, VERBERK M M and MUIJSER H: Special nerve functions and colour discrimination in workers with long term low level exposure to carbon disulphide, 589
RYAN G *see* BLAINEY A D *et al*
RYAN G *see* JAMES A L *et al*

S

SAARINEN L *see* ANTTI-POIKA M *et al*
SABRO P *see* SHERSON D *et al*
SACKSTEIN G *see* LERMAN Y *et al*
SADLER R L and ROY T J: Smoking and mortality from coalworkers' pneumoconiosis, 141
SALLÉ H J A *see* RUIJTEN M W M M *et al*
SÄLLSTEN G *see* BARREGÅRD L *et al*
SANKILA R, KARJALAINEN S, PUKKALA E, OKSANEN H, HAKULINEN T, TEPPO L and HAKAMA M: Cancer risk among glass factory workers: an excess of lung cancer, 815
SAUTER S L *see* CHAPMAN L J *et al*
SAVELKOUL T J F *see* MEULENBELT J *et al*
SAVITZ D A *see* LOOMIS D P and SAVITZ D A
SAVOLAINEN K *see* KURTTIO P *et al*
SCHACHTER E N *see* ZUSKIN E *et al*
SCHILLING R S F and MCDONALD J C: Occupational health at the London School of Hygiene and Tropical Medicine, 135
School age girls working in different handicraft centres, Srinagar City, nutritional status, 502
SCHÜTZ A *see* ERFURTH E M *et al*
SCHWEIGER M *see* ARBLASTER L *et al*
Sea pilots, mortality, circulatory diseases, Sweden 1951–84, 122
Seamen, merchant marine, asbestosic radiological abnormalities, United States, 292: correspondence, 844
SEATON A: Coalmining, emphysema, and compensation: editorial, 433
Sedentary work in middle life, and proximal femur fracture, 69
SEEMANN J W *see* KOLLMEIER H *et al*
SEGADAL K *see* THORSEN E *et al*
SEKLA L *see* YASSI A *et al*
SELIKOFF I J, LILIS R and LEVIN G: Asbestotic radiological abnormalities among United States merchant marine seamen, 292: correspondence reply, 844
Semen quality and sex hormones, steel welders, 508
—— ——welders, before and after three weeks of non-exposure, 515
SEMMENCE A *see* STAESSEN J *et al*
Servicemen, United Kingdom, who served abroad, 1950s and 1960s, mortality, 793
Sex hormones and semen quality, steel welders, 508
SHALAT S L, TRUE L D, FLEMING L E and PACE P E: Kidney cancer in utility workers exposed to polychlorinated biphenyls (PCBs): correspondence reply, 358
Shanghai, bladder cancer and benzidine or its derived dyes, relation between, 544
SHANNON H S, JAMIESON E, JULIAN J A and MUIR D C F: Mortality of glass filament (textile) workers, 533
SHARP D S: Blood lead concentrations, renal function, and blood pressures in London civil servants: correspondence, 790
SHERSON D, SABRO P, SIGSGAARD T, JOHANSEN F and AUTRUP H: Biological monitoring of foundry workers exposed to polycyclic aromatic hydrocarbons, 448
SHIPLEY M J *see* STAESSEN J *et al*
Shipyard workers, longitudinal respiratory survey, effects of trade and atopic status, 83
—— ——symptomatic, neurological function, detailed clinical assessment, 566
SHORE R E *see* GREENBERG H L *et al*
Sick building syndrome in primary schools, factors related to, 733
SIGSGAARD T *see* SHERSON D *et al*
SIGSGAARD T I *see* OTTE K E *et al*
Silica dust, amorphous, occupational exposure, and pulmonary function, 763
—— ——and tobacco smoking, combined effect on mortality from chronic obstructive lung disease, gold miners, 656
——exposure, silicosis, and lung cancer, necropsy study, 4
——sister chromatid exchanges in human lymphocytes treated with, 110

Silicosis series, population based, histocompatibility antigens: correspondence, 432
SILVERMAN D T *see* MALKER H S R *et al*
Sister chromatid exchanges in human lymphocytes treated with silica, 110
SJÖGREN B, GUSTAVSSON P and HOGSTEDT C: Neuropsychiatric symptoms among welders exposed to neurotoxic metals, 704
SKERFVING S *see* ERFURTH E M *et al*
SVENSSON B G *et al*
SLANGEN J J M *see* MEIJERS J M M *et al*
SLIGHT J *see* DONALDSON K *et al*
SLUIS-CREMER G K and BEZUIDENHOUT B N: Relation between asbestosis and bronchial cancer in amphibole asbestos miners: correspondence reply, 215
see also HESSEL P A *et al*
SMAGGHE G *see* MOULIN J J *et al*
Small airways disease, divers' lung function, 519
Smoke exposure, firefighters airway responsiveness after, 524
Smoking and mortality from coalworkers' pneumoconiosis, 141
—— ——and individual asbestos exposure, 615
SÖDERHOLM B *see* EDLING C *et al*
Sodium iso-nonanoyl oxybenzene sulphonate, asthmagenic properties, 405
SOLEO L, URBANO M L, PETRERA V and AMBROSI L: Effects of low exposure to inorganic mercury on psychological performance, 105
SOLOMON A *see* LERMAN Y *et al*
Solvents exposure, glomerulonephritis, and renal carcinoma, bias from choice of referents: correspondence, 791
——induced chronic toxic encephalopathy, cerebrospinal fluid proteins and free amino acids, 277
——long term follow up of exposure, 75
SOPER P *see* COCKCROFT A *et al*
SOUTAR C A *see* DONALDSON K *et al*
Spirometric test failure, epidemiology: editorial, 73
Spittoons, 416
Srinagar City, nutritional status, school age girls working in different handicraft centres, 502
STAESSEN J, YEOMAN W B, FLETCHER A E, MARKOWE H L J, MARMOT M G, ROSE G, SEMMENCE A, SHIPLEY M J and BULPITT C J: Blood lead concentration, renal function and blood pressure in London civil servants, 442
Stainless steel welders, semen quality before and after three weeks non-exposure, 515
—— —— ——semen quality and sex hormones, 508
—— —— ——mortality, France, 537
STANFORD C F, HALL G, CHIVERS A, MARTIN B, NICHOLLS D P and EVANS J: Farmer's lung in Northern Ireland, 314
STARCK J *see* KOSKIMIES K *et al*
Steel, stainless, workers, *see* STAINLESS STEEL WORKERS
STENTON S C, DENNIS J H, WALTERS E H and HENDRICK D J: Asthmagenic properties of a newly developed detergent ingredient: sodium iso-nonanoyl oxybenzene sulphonate, 405
STEVENSON I C *see* CHINN D J *et al*
STEWART P A *see* BLAIR A *et al*
CHEN S Y *et al*
Stomach cancer and work in dusty industries, 298
STRAUSS P *see* DUMORTIER P *et al*
Stress at work and mental health status, female hospital workers, 20
STURMANS F *see* MEIJERS J M M *et al*
Style changes: editorial, 1
Styrene exposure, reinforced plastics and composites industry, mortality study and case-control study, 753
——neurotoxic effects, further evidence, 29
Suicide among electric utility workers, England and Wales: correspondence, 788
Sulphur hexafluoride degradation products, acute exposure during electrical cable repair work, pulmonary effects, 829
SVENSSON B G, NISE G, ENGLANDER V, ATTEWELL R, SKERFVING S and MÖLLER T: Deaths and tumours among rotogravure printers exposed to toluene, 372
——*see also* EDLING C *et al*
SWAEN G M H and MEIJERS J M M: Risk assessment of leukaemia and occupational exposure to benzene: correspondence reply, 717
SWAEN G M H *see* MEIJERS J M M *et al*
Sweden, mortality and cancer incidence, gas workers, 169
—— ——from circulatory diseases, sea pilots and boatmen, 1951–84, 122
——nasopharyngeal cancer, occupational risk factors, 213
——occupation and malignant melanoma, 317
SWERDLOW A J *see* VÅGERÖ D *et al*

T

TACKETT D L *see* TSAI S P *et al*
Talc, tremolite, and tergiversation: editorial, 505; correction, 792
TANAKA I *see* MATSUOKA M *et al*
TANIGAWA T, ARAKI S, ISHIZU S, MORITA T, OKAZAKI H and MINATO N: Natural killer cell activity in workers exposed to benzidine and beta-naphthylamine, 338
Tannin, cotton condensed, alkali treatment effect on physiological activity, 698
TAYLOR A J N *see* NUNN A J *et al*
TAYLOR W and PELMEAR P L: The hand-arm vibration syndrome: an update: editorial, 577
TEE A *see* ANDERSON D *et al*
TENHUNEN R *see* JÄPPINEN P and TENHUNEN R
TEPPO L *see* SANKILA R *et al*
Tergiversation, talc, and tremolite: editorial, 505: correction, 792
Terpenes, four, liquid/air partition coefficients, 62
THAKRAR B *see* DARBY S C *et al*
THOMASSON L *see* NYSTRÖM L *et al*
THORNTON J C *see* KILBURN K H *et al*
THORSEN E, SEGADAL K, KAMBESTAD B and GULSVIK A: Divers' lung function: small airways disease? 519
——SEGADAL K, MYRSETH E, PÄSCHE A and GULSVIK A: Pulmonary mechanical function and diffusion capacity after deep saturation dives, 242
Tin miners, mortality, 1941–86, 665
TIWARI M K *see* ANDERSSON N *et al*
Tobacco smoking and silica dust, combined effect on mortality from chronic obstructive lung disease, gold miners, 656
TODNEM K, NYLAND H, KAMBESTAD B K and AARLI J A: Influence of occupational diving upon the nervous system: an epidemiological study, 708
TOLA S *see* JÄPPINEN P and TOLA S
TOLBERT P E *see* BLAIR A *et al*
Toluene, chronic neurobehavioural effects, 480
——diisocyanate exposure, persistent reactive airway dysfunction syndrome after, 239
——exposure increases urinary excretion of D-glucaric acid, 58
——intoxication, acute, two cases, 417
——rotogravure printers exposed to, deaths and tumours, 372
——visual evoked potentials, rotogravure printers exposed to, 819
TORGÉN M *see* NORBÄCK D *et al*
Transferrin, assessment as early marker of cadmium nephrotoxicity, 559
Tremolite, tergiversation, and talc: editorial, 505; correction, 792
Tremor, finger, in otherwise asymptomatic mercury workers, frequency differences, 838

TROON S *see* BLAINEY A D *et al*
TRUE L D *see* SHALAT S L *et al*
TSAI S P, COWLES S R, TACKETT D L, BARCLAY M T and ROSS C E: Morbidity prevalence study of workers with potential exposure to epichlorohydrin, 392
TUPILSKY M *see* LERMAN Y *et al*

U

ULM K *see* KIESSELBACH N *et al*
United Kingdom Atomic Energy Authority workforce, health related selection and death rates, 248; correction, 576
United States merchant marine seamen, asbestotic radiological abnormalities, 292; correspondence, 844
Upper respiratory and upper digestive tract cancers, occupational risk factors, 380
URBAN P and LUKÁŠ E: Visual evoked potentials in rotogravure printers exposed to toluene, 819
URBANO M L *see* SOLEO L *et al*

V

VÁGERŐ D, SWERDLOW A J and BERAL V: Occupation and malignant melanoma: a study based on cancer registration data in England and Wales and in Sweden, 317
VAICHERE E *see* ESTRYN-BEHAR M *et al*
VAN DER LOOP F *see* JONGENEELEN F J *et al*
VAN HOUTE G *see* ROELS H A *et al*
VAN LEEUWEN F E *see* JONGENEELEN F J *et al*
VAN VEEN H G *see* JONGENEELEN F J *et al*
VAN VLIET C *see* MEIJERS J M M *et al*
VARTIAINEN T *see* KURTTIO P *et al*
VAUGHT J *see* BLAIR A *et al*
VECCHIA C LA *see* LA VECCHIO C *et al*
VEEN H G VAN *see* VAN VEEN H G
VENABLES K M *see* NUNN A J *et al*
VERBERK M M *see* RUIJTEN M W M M *et al*
Vibration disease, and carpal tunnel syndrome, 411
——perception, reduced, in right hands of normal subjects, acquired abnormality? 715
——syndrome, assessment of autonomic nervous function, 263
VILKKA V *see* JÄPPINEN P *et al*
VINCENT J H and DONALDSON K: A dosimetric approach for relating the biological response of the lung to the accumulation of inhaled mineral dust, 302
Vinyl chloride, chronic exposure, possible link with cutaneous haemangioendothelioma, 65
Visual evoked potentials, rotogravure printers exposed to toluene, 819
VLIET C VAN *see* VAN VLIET C
Volatile organic compounds and sick building syndrome, primary schools, 733
VUYST P DE *see* DE VUYST P

W

WALDRON H A: Antibody response to hepatitus B vaccination, 354
——Coincidence, 527
——A mediaeval accident at work, 188
——A new style for the nineties: editorial, 1
——*see also* O'FLYNN R R and WALDRON H A
WALTERS E H *see* STENTON S C *et al*
WARSHAW R H *see* KILBURN K H and WARSHAW R H KILBURN K H *et al*
WATERHOUSE J A *see* HARRINGTON J M *et al*
WATTERSON A: Occupational health education in the United Kingdom workplace: looking backwards and going forwards? The Industrial Health Education Society at work 1922–40, 366
WEINER J *see* NYLANDER M *et al*
WEINER J A *see* MALKER H S R *et al*
Welders, semen quality before and after three weeks non-exposure, 515
——steel, semen quality and sex hormones, 508
WELINDER H *see* ALBIN M *et al*
Western Australia, pleural lesions in crocidolite workers, 782
WHITBY H *see* HARRINGTON J M *et al*
Wickham C *see* COOPER C *et al*
WIGAEUS-HJELM E *see* FALK A *et al*
WILD P *see* MOULIN J J *et al*
WILES P G, PEARCE S M, RICE P J S and MITCHELL J M O: Reduced vibration perception in right hands of normal subjects: an acquired abnormality? 715
WILSON H K *see* COCKER J *et al*
WITEK T J *see* ZUSKIN E *et al*
Wittenoon crocidolite workers, chest radiographs, comparison of reading methods for assessing progress of pneumoconiosis over 10 years, 127
WITTIG P *see* KOLLMEIER H *et al*
WONG L *see* GUIRGUIS S S *et al*
WONG O: A cohort mortality study and a case-control study of workers potentially exposed to styrene in the reinforced plastics and composites industry, 753
Wool mills, respiratory symptoms by workers, 231
Work, return to, disincentives, rehabilitation measurement, 436

X

XUE-YUN Y, JI-GANG C and YONG-NING H: Studies on the relation between bladder cancer and benzidine or its derived dyes in Shanghai, 544

Y

YARDLEY-JONES A, ANDERSON D, LOVELL D P and JENKINSON P C: Analysis of chromosomal aberrations in workers exposed to low level benzene, 48
YASSI A, MCGILL M, JEANSON S and SEKLA L: Anti HBs protection in hospital workers vaccinated against hepatitis B: policy implications of a pilot study: correspondence, 645
YATES D H and GOLDMAN K P: Acute cadmium poisoning in a foreman plater welder, 429
YE S-H *see* BURRELL R and YE S-H
YEH Y-B and Lai Y-R: Influence of rheumatoid factor in coalminers' pneumoconiosis in the Fujian Shaowu colliery, South China, 143
YEOMAN W B *see* STAESSEN J *et al*
YERNAULT J C *see* DUMORTIER P *et al*
YONG-NING H *see* XUE-YUN Y *et al*
YU Y L, CHANG C M, LAM T H, HO K M and MOK K Y: Cervical spondylotic radiculopathy precipitated by decompression sickness, 785
YUN Y XUE- *see* XUE-YUN Y

Z

ZADIG E *see* BOYSEN M *et al*
ZIELHUIS G A *see* ROELEVELD N *et al*
ZIMMERMAN M J *see* JAMES A L *et al*
ZUSKIN E, KANCELJAK B, POKRAJAC D, SCHACHTER E N and WITEK T J: Respiratory symptoms and lung function in hemp workers, 627